

Willner, W., Di Pietro, R. and Bergmeier, E. 2009. Phytogeographical evidence for post-glacial dispersal limitation of European beech forest species. – *Ecography* 32: 1011–1018.

Supplementary material

1. Data sources for the selection of “beech forest species”

- Bergmeier, E. and Dimopoulos, P. 2001. *Fagus sylvatica* forest vegetation in Greece: syntaxonomy and gradient analysis. – *J. Veg. Sci.* 12: 109–126.
- Di Pietro, R. et al. 2004. Contribute to the nomenclatural knowledge of the beech-woodland communities of southern Italy. – *Plant Biosyst.* 138: 27–52.
- Dzwonko, Z. et al. 1999. Syntaxonomic analysis of beechwoods in Macedonia (former Republic of Yugoslavia). – *Phytocoenologia* 29: 153–175.
- Gentile, S. 1970. Sui faggeti dell’Italia meridionale. – *Atti Istituto Botanico Univ. Pavia* (ser. 6) 5 (1969): 207–306.
- Marinček, L. et al. 1993. Nomenklatorische Revision der illyrischen Buchenwälder. – *Studia Geobot.* 12 (1992): 121–135.
- Rivas-Martínez, S. et al. 2002. Vascular plant communities of Spain and Portugal. Addenda to the syntaxonomical checklist of 2001. – *Itineraria Geobot.* 15: 4–922.
- Soó, R. 1964. Die regionalen Fagion-Verbände und Gesellschaften Südosteuropas. – Akadémiai Kiadó, Budapest.
- Ubaldi, D. 2003. La vegetazione boschiva d’Italia (manuale di Fitosociologia forestale). – Clueb, Bologna.
- Willner, W. and Grabherr, G. (eds) 2007. Die Wälder und Gebüsche Österreichs. Ein Bestimmungswerk mit Tabellen. – Spektrum Akademischer Verlag, Heidelberg.

2. Data sources for the compilation of species distribution

- Aeschimann, D. et al. 2004. Flora alpina. – Haupt Verlag, Bern.
- Arrigoni, P. V. 1998. La vegetazione forestale, Boschi e Macchie di Toscana. – Regione Toscana, Firenze.
- Berg, C. et al. (eds) 2001. Die Pflanzengesellschaften Mecklenburg-Vorpommerns und ihre Gefährdung. Tabellenband. – Weissdorn, Jena.
- Bergmeier, E. and Dimopoulos, P. 2001. *Fagus sylvatica* forest vegetation in Greece: syntaxonomy and gradient analysis. – *J. Veg. Sci.* 12: 109–126.
- Beus, V. and Vojniković, S. 2002. Floristical characteristics of the virgin forest of beech and fir in Ravna Vala on mountain Bjelašnica. – *Razprave IV. Razreda SAZU (Ljubljana)* 43: 63–78.
- Biondi, E. et al. 2002. The syntaxonomy of the mesophilous woods of the central and northern Apennines (central Italy). – *Fitosociologia* 39: 71–94.
- Blasi, C. et al. 2005. Fagete e Cerrete mesofile nell’Alto Molise. – *Fitosociologia* 42: 67–82.
- Borhidi, A. 1963. Die Zönologie des Verbandes Fagion illyricum. I. Allgemeiner Teil. – *Acta Bot. Hung.* 9: 259–297.
- Brullo, S. et al. 1999. Syntaxonomical analysis of the beech forests from Sicily. – *Ann. Bot. Roma* 57: 121–132.
- Comps, B. et al. 1986. Etude synsystématique des hêtraies pyrénéennes et des régions limotropes (Espagne et Piémont aquitain). – *Phytocoenologia* 14: 145–236.

- Conti, F. et al. 2005. An annotated checklist of the Italian vascular Flora. – Palombi editore, Roma.
- Daksobler, I. 1997. Geografske variante asociacije Seslerio autumnalis-Fagetum (Ht.) M. Wraber ex Borhidi 1963. – *Razprave IV. Razreda SAZU (Ljubljana)* 38: 165–255.
- Diekmann, M. et al. 1999. Beech forest communities in the Nordic countries – a multivariate analysis. – *Plant Ecol.* 140: 203–220.
- Di Pietro, R. and Fascetti, S. 2005. A contribution to the knowledge of *Abies alba* Miller woodlands in the Campania and Basilicata regions (southern Italy). – *Fitosociologia* 42: 71–96.
- Durin, L. et al. 1967. Les hêtraies atlantiques et leur essaim climatique dans le nord-ouest et l’ouest de la France. – *Bull. Soc. Bot. Nord Fr.* 20: 59–89.
- Dzwonko, Z. et al. 1999. Syntaxonomic analysis of beechwoods in Macedonia (former Republic of Yugoslavia). – *Phytocoenologia* 29: 153–175.
- Fajmonová, E. 1982. Spoločenstva podzvazu Aceri-Fagenion v Zapadnych Karpatach. – *Preslia* 54: 259–269.
- Fajmonová, E. and Uhlířová-Šimeková, J. 1981. Poznámky k syntaxonómii spoločenstiev podzvazu Cephalanthero-Fagenion a Galio-Abetionion. – *Preslia* 53: 257–266.
- Feoli, E. and Lagonegro, M. 1982. Syntaxonomical analysis of beech woods in the Apennines (Italy) using the program package IAHOA. – *Vegetatio* 50: 129–173.
- Fink, H. G. 1977. Pflanzengesellschaften des Schlergebirges (Südostkarpaten). – *Stapfa* 2: 1–370.
- Gabellini, A. et al. 2006. Contributo alla conoscenza della vegetazione dell’Alta Garfagnana Appenninica. – *Parlatorea* 8: 65–98.
- Gamisans, J. 1977. La végétation des montagnes corses. Deuxième partie. – *Phytocoenologia* 4: 35–131.
- Gentile, S. 1970. Sui faggeti dell’Italia meridionale. – *Atti Istituto Botanico Univ. Pavia* (ser. 6) 5 (1969): 207–306.
- Gentile, S. 1974. Ricerche sui faggeti dell’Appennino ligure. – *Not. Soc. Ital. Fitosoc.* 9: 131–138.
- Gruber, M. 1978. La végétation des Pyrénées ariégeoises et catalanes occidentales. – Ph.D. thesis, Univ. Aix-Marseille.
- Haeupler, H. and Schönfelder, P. (eds.) 1988. Atlas der Farn- und Blütenpflanzen der Bundesrepublik Deutschland. – Ulmer.
- Horvat, I. et al. 1974. Vegetation Südosteuropas. – Gustav Fischer.
- Jogan, N. (ed.) 2001. Gradivo za Atlas flore Slovenije. Materials for the atlas of flora of Slovenia. – Center za kartografijo favne in flore, Miklavž na Dravskem polju.
- Meusel, H. et al. 1965–1992. Vergleichende Chorologie der zentraleuropäischen Flora. – Gustav Fischer.
- Oberdorfer, E. (ed.) 1992. Süddeutsche Pflanzengesellschaften. Teil IV. Wälder und Gebüsche, 2nd ed. – Gustav Fischer.
- Pignatti, S. 1998. I Boschi d’Italia. – Utet, Torino.
- Rivas-Martínez, S. et al. 1991. La vegetación del Pirineo Occidental y Navarra. – *Itineraria Geobot.* 5: 5–456.
- Rosati, L. et al. 2005. La vegetazione forestale della Regione Temperata del “Flysch del Cilento” (Italia meridionale). – *Fitosociologia* 42: 33–66.
- Soó, R. 1964. Die regionalen Fagion-Verbände und Gesellschaften Südosteuropas. – Akadémiai Kiadó, Budapest.
- Šomšák, L. 1979. Poo chaixii-Fagetum, eine neue Assoziation in den Westkarpathen. – *Phytocoenologia* 6: 505–513.
- Stefanović, V. 2000. Phytocoenosis of beech and butcher’s broom of north Bosnia. – Wissenschaftliche Mitteilungen des Bosnisch-Herzegowinischen Landesmuseums, Natur-wissenschaftliches Heft C (Sarajevo) 7: 277–286.

- Stortelder, A. H. F. et al. 1999. De vegetatie van Nederland. Deel 5. Plantengemeenschappen van ruigten, struwelen en bossen. – Opulus Press, Uppsala.
- Timbal, J. 1978. Les hêtraies à dentaire de Lorraine. – Doc. Phytosoc. N. S. 2: 421–451.
- Tsiripidis, I. 2001. Plant communities of beech forests in Rodopi mountain range and their environmental assessment for reforestation. – Ph.D. thesis, Aristotle Univ. Thessaloniki, Thessaloniki, in Greek.
- Tsiripidis, I. et al. 2007. Classification and gradient analysis of the beech forest vegetation of the southern Rodopi (northeast Greece). – Folia Geobot. 42: 249–270.
- Tsiripidis, I. et al. 2007. Geographical and ecological differentiation in Greek *Fagus* forest vegetation. – J. Veg. Sci. 18: 743–750.
- Tzonnev, R. et al. 2006. Beech forest communities in Bulgaria. – Phyto-coenologia 36: 247–279.
- Ubaldi, D. 1980. Les hetraies des Apennins septentrionaux et centraux (Italie). – Doc. Phytosoc. N. S. 5: 157–166.
- Ubaldi, D. et al. 1990. Sintassonomia dei boschi caducifogli mesofili dell'Italia peninsulare. – Not. Fitosc. 23 (1987): 31–62.
- Willner, W. 2002. Syntaxonomische Revision der südmitteleuropäischen Buchenwälder. – Phytocoenologia 32: 337–453.
- Wittig, R. and Thiel, A. 1995. Buchenwälder in Nordwest-Spanien. – Carolinea 53: 185–198.




Figure S1. The 40 regions used as “operational geographic units”.

3. Species-by-region-matrix

Region no. (see Fig. S1):	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
<i>Actaea spicata</i>	1	1	1	.	1	1	1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Adoxa moschatellina</i>	.	.	1	1	1	1	.	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Allium ursinum</i> (incl. subsp. <i>acutinicum</i>)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	r	+						
<i>Anemone nemorosa</i>	1	1	1	.	1	1	1	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Anemone ranunculoides</i>	.	r	1	.	+	1	1	+	1	1	+	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	r	1					
<i>Anemone trifolia</i>	.	.	.	+	1	.	1	.	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Aposeris foetida</i>	.	.	.	+	.	.	1	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Armenia tigrinonoides</i>	.	.	1	1	1	.	.	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Arum maculatum</i> agg. (incl. <i>A.</i> <i>cylindraceum</i>)	1	1	1	.	1	1	1	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	+						
<i>Aruncus dioicus</i>	.	1	.	.	.	1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Asarum europaeum</i>	.	1	.	+	1	1	.	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Asperula taurina</i>	.	.	1						
<i>Ayneuma trichocalycinum</i> s.str. (excl. <i>A. pichleri</i>)	.	.	1							
<i>Calamintha granatina</i>	+	1	1	1	1	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Cardamine batatasiae</i>	.	.	+	.	.	.	+	1	r	r	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Cardamine bulbifera</i>	.	.	1	1	1	1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Cardamine cheilanthia</i>	.	.	1	1	1	1	1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Cardamine emarginatus</i>	.	.	1	1	1	1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Cardamine glanduligera</i>	.	.	1	1	1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Cardamine hepatica</i>	+	1	1	.	1	1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Cardamine impatiens</i> (incl. subsp. <i>pectinata</i>)	r	1	1	.	1	1	1	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Cardamine kitaibelii</i> (= <i>Dentaria</i> <i>polypylla</i>)	.	.	+	1	1	.	+	.	+	r	1				
<i>Cardamine pentaphyllos</i>	+	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Cardamine trifolia</i>	r	r	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1				
<i>Cardamine waldsteinii</i> (= <i>Dentaria</i> <i>trifolia</i>)	.	.	+	1				
<i>Carex pilosa</i>	.	+	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Carex sylvatica</i>	1	1	1	r	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Corydalis cana</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Corydalis solida</i> (incl. subsp.)	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Cyclamen parviflorum</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1					
<i>Daphne mezereum</i>	.	1	1	.	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Dryopteris filix-mas</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						
<i>Epidendrum monanthum</i>	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1						

