

Supplementary material

Appendix 1

Methods

A Web of Science search was conducted 2 April 2009. Keywords were chosen broadly, so as to capture as many relevant papers as possible. We used the following Boolean combinations: (allozyme, gene flow, microsatellite, mtDNA, phylogeography, OR population structure) AND (coral, estuar*, intertidal, marine, reef, sea, OR subtidal) AND (fish or teleost*). Titles and abstracts of the search results were individually examined and papers that were clearly irrelevant were discarded.

The remaining papers were examined in full and assessed by the following criteria: 1) study organisms were primary marine fish with demersal coastal habits; fishes whose primary habitat (as reported by FishBase: Froese and Pauly 2009) were freshwater or estuarine were discarded. Similarly, species whose lifestyle (as reported in Fishbase) included adult migration or pelagic habit (benthopelagic, oceanodromous, amphidromous, catadromous, anadromous, etc.) or lived in the deep sea were also eliminated; 2) species could not include potential multiple cryptic species or hybridization; where there was indication of these phenomena in the primary literature, species were excluded; 3) studies had to survey a minimum of three populations for allozyme, microsatellite, mtDNA (sequence and RFLP) variation. The global F-statistic (F_{ST} , G_{ST} or related estimator) and/or population pairwise F_{ST} values had to be reported.

Because the exact methods for calculating F-statistics differ across studies, we implicitly assume that variance among estimators is much less than effects due to biological phenomena and that the estimation method can be considered a random effect. From the final set of included studies, we noted global F_{ST} value and the maximum F_{ST} value across all pairs of populations. For studies that surveyed across well-known biogeographic transitions – Table 1 as defined by Rocha et al. (2007), with the additions of the Atlantic-Mediterranean boundary, California-Gulf of California disjunct species, and boundaries within the Gulf of California (Riginos 2005) and Mona passage in the Caribbean (Baums et al. 2005, Taylor and Hellberg 2006) we recorded the F_{ST} value between the two most geographically proximate populations spanning the boundary. The geographic locations of the most distant populations included in each study as well as the locations of the populations associated with maximum F_{ST} values were recorded. Finally, any information (including citations) on pelagic larval duration was noted.

For each species, mean adult total length was determined using Fishbase (Froese and Pauly 2009). In instances where TL was not reported, standard length was converted to TL by use of equations for the species in question or another species in the same genus. Whether species/families were viviparous, had brooded eggs, or had demersal or pelagic eggs was determined from Thresher (1984).

To determine the pelagic larval duration (PLD) we used the primary literature where possible (such as, Brothers et al. 1983, Brothers and Thresher 1985, Thresher and Brothers 1985, Victor 1986, Thresher et al. 1989, Sponaugle and Cowen 1997, Wilson and McCormick 1999, Wellington and Robertson 2001, Lester and Ruttenberg 2005, Macpherson and Raventos 2006). When available, we noted mean PLD and the maximum PLD (where a range of values was reported). Where multiple estimates of PLD were available for a species, we used the mean PLD corresponding to the study with the largest sample size. If mean PLD was not reported, we used the median in the reported ranges. In some studies, a value was reported without citation (or citation as personal communication or reference to the grey literature) and could not be verified by any original published study.

For each population location, the longitude and latitude were determined using Google Earth (ver. 5.1.3533.1731; <earth.google.com>). Longitude and latitude were exported from Google Earth and converted to gpx format using ge2gpx (ver. 4.5, <<http://mcrenox.com.ar/ge2gpx/>>). These longitude and latitude values were imported to ArcGIS and linear overwater (around land) distances between endpoints of each study and between populations with the maximum observed pairwise F_{ST} were determined.

Results

The Web of Science search returned 1927 publications using the specified combinations of keywords. Of these, 1683 could be excluded by examining the title and abstract alone. (For instance, many were phylogenetic studies not population studies or did not directly employ molecular markers.) The remaining 244 papers were evaluated against the criteria outlined previously and 96 conformed to the state criteria.

Families with especially high species representation (≥ 10) were Pomacentridae (22 species), Gobiidae (16), Labridae (16), Acanthuridae (10), and Tripterygiidae (10). The linear sampling distance of studies (over water distance) varied widely, ranging from 22.5 to 19 618 km. Some notable marine biogeographic transitions (such as Pt. Conception and Cape Canaveral) were not represented in our final data set.




Figure A1. Residual deviations between total study distance and maximum population pairwise FST distance scaled by total study distance (Residual=(Study_KM-KM_Max_FST)/Study_KM).

Table A1. Data sources for genetics.

Species	Common name	Family	Genetic data	Genetics ref
<i>Abudefduf saxatilis</i>	Sergeant major	Pomacentridae	mtDNA – RFLPs	Shulman and Bermingham 1995
<i>Acanthopagrus latus</i>	Yellowfin seabream	Sparidae	mtDNA	Xia et al. 2008
<i>Acanthurus nigricans</i>	Whitecheek surgeonfish	Acanthuridae	mtDNA – RFLPs	Lessios and Robertson 2006
<i>Acanthurus nigrofasciatus</i>	Brown surgeonfish	Acanthuridae	mtDNA	Eble et al. 2009
<i>Acanthurus triostegus</i>	Convict surgeonfish	Acanthuridae	allozymes	Lessios and Robertson 2006
<i>Acanthurus triostegus</i>	Convict surgeonfish	Acanthuridae	mtDNA	Planes and Fauvelot 2002
<i>Amblyglyphidodon curacao</i>	Staghorn damselfish	Pomacentridae	mtDNA – RFLPs	Bay et al. 2006
<i>Amphiprion melanopus</i>	Fire clownfish	Pomacentridae	mtDNA	Bay et al. 2006
<i>Amphiprion melanopus</i>	Fire clownfish	Pomacentridae	mtDNA	Doherty et al. 1995
<i>Amphiprion melanopus</i>	Fire clownfish	Pomacentridae	mtDNA	Drew et al. 2008
<i>Amphiprion ocellaris</i>	Clown anemonefish	Pomacentridae	mtDNA	Nelson et al. 2000
<i>Amphiprion ocellaris</i>	Clown anemonefish	Pomacentridae	allozyme	Timm and Kochzius 2008
<i>Anisotremus davidsonii</i>	Xantic sargo	Haemulidae	mtDNA	Bernardi and Lape 2005
<i>Anisotremus davidsonii</i>	Xantic sargo	Haemulidae	allozymes	Bernardi et al. 2003
<i>Arothron meleagris</i>	Guineafowl puffer	Tetraodontidae	microsatellites	Lessios and Robertson 2006
<i>Axoclinus nigricaudus</i>	Cortez triplefin	Tripterygiidae	mtDNA	Riginos and Victor 2001, Riginos 2005
<i>Bathygobius soporator</i>	Frillfin goby	Gobiidae	microsatellites	Lima et al. 2004
<i>Bellapiscis lesleyae</i>	Mottled twister	Tripterygiidae	microsatellites	Hickey et al. 2009
<i>Bellapiscis medius</i>	Twister	Tripterygiidae	mtDNA – RFLPs	Hickey et al. 2009
<i>Calotomus carolinus</i>	Carolines parrotfish	Scaridae	allozymes	Lessios and Robertson 2006
<i>Cantherhines dumerili</i>	Whitespotted filefish	Monacanthidae	microsatellites	Lessios and Robertson 2006
<i>Centropyge loriculus</i>	Flame angelfish	Pomacanthidae	allozyme	Schultz et al. 2007
<i>Chaenopsis alepidota</i>	Orangethroat pike blenny	Chaenopsidae	mtDNA	Bernardi et al. 2003
<i>Chaetodon citrinellus</i>	Speckled butterflyfish	Chaetodontidae	mtDNA	Fauvelot and Planes 2002
<i>Chaetodon quadrimaculatus</i>	Fourspot butterflyfish	Chaetodontidae	mtDNA	Fauvelot and Planes 2002
<i>Chaetodon quadrimaculatus</i>	Fourspot butterflyfish	Chaetodontidae	allozymes	Fauvelot et al. 2003
<i>Chionodraco hamatus</i>	Crocodile icefish	Channichthyidae	mtDNA	Patarnello et al. 2003
<i>Chlorurus sordidus</i>	Daisy parrotfish	Scaridae	mtDNA	Bay et al. 2004
<i>Chlorurus sordidus</i>	Daisy parrotfish	Scaridae	allozyme	Dudgeon et al. 2000
<i>Chromis atripinnis</i>	Black-axil chromis	Pomacentridae	mtDNA	Bay et al. 2006
<i>Chromis atripinnis</i>	Black-axil chromis	Pomacentridae	mtDNA	Doherty et al. 1995
<i>Chromis chromis</i>	Damselfish	Pomacentridae	mtDNA	Domingues et al. 2005
<i>Chromis multilineata</i>	Brown chromis	Pomacentridae	mtDNA	Rocha et al. 2008
<i>Chromis multilineata</i>	Brown chromis	Pomacentridae	mtDNA	Rocha et al. 2008
<i>Chromis xanthura</i>	Paletail chromis	Pomacentridae	mtDNA	Fauvelot and Planes 2002
<i>Chromis xanthura</i>	Paletail chromis	Pomacentridae	mtDNA	Fauvelot et al. 2003
<i>Chrysiptera glauca</i>	Grey demoiselle	Pomacentridae	mtDNA – RFLPs	Fauvelot and Planes 2002
<i>Chrysiptera glauca</i>	Grey demoiselle	Pomacentridae	allozymes	Fauvelot et al. 2003
<i>Chrysiptera rex</i>	King demoiselle	Pomacentridae	mtDNA	Bay et al. 2006
<i>Chrysiptera talboti</i>	Talbot's demoiselle	Pomacentridae	mtDNA – RFLPs	Drew et al. 2008
<i>Cirrhitabrus punctatus</i>	Dotted wrasse	Labridae	mtDNA	Drew et al. 2008
<i>Cirrhitichthys oxycephalus</i>	Coral hawkfish	Cirrhitidae	mtDNA	Lessios and Robertson 2006
<i>Clevelandia ios</i>	Arrow goby	Gobiidae	allozymes	Dawson et al. 2002
<i>Coralliozetus micropes</i>	Scarletfin blenny	Chaenopsidae	mtDNA	Riginos 2005
<i>Coryphoblennius galerita</i>	Montagu's blenny	Blennidae	mtDNA	Domingues et al. 2007
<i>Craterocephalus capreolus</i>	Rendahl's hardyhead	Atherinidae	mtDNA	Johnson et al. 1994

<i>Ctenochaetus marginatus</i>	Striped-fin surgeonfish	Acanthuridae	mtDNA	Lessios and Robertson 2006
<i>Ctenochaetus striatus</i>	Striated surgeonfish	Acanthuridae	mtDNA	Doherty et al. 1995
<i>Ctenochaetus strigosus</i>	Spotted surgeonfish	Acanthuridae	mtDNA	Eble et al. 2009
<i>Ctenogobiops feroculus</i>	Sandy prawn-goby	Gobiidae	mtDNA	Thompson et al. 2005
<i>Cynoscion nebulosus</i>	Spotted seatrout	Sciaenidae	mtDNA	Gold and Richardson 1998
<i>Dascyllus albisella</i>	Hawaiian dascyllus	Pomacentridae	mtDNA – RFLPs	Ramon et al. 2008
<i>Dascyllus aruanus</i>	Whitetail dascyllus	Pomacentridae	mtDNA	Fauvelot and Planes 2002
<i>Dascyllus aruanus</i>	Whitetail dascyllus	Pomacentridae	mtDNA	Fauvelot et al. 2003
<i>Dicentrarchus labrax</i>	European seabass	Moronidae	microsatellites	Bahri-Sfar et al. 2000
<i>Diodon holocanthus</i>	Long-spine porcupinefish	Diodontidae	mtDNA	Lessios and Robertson 2006
<i>Doryrhamphus excisus</i>	Bluestripe pipefish	Syngnathidae	microsatellites	Lessios and Robertson 2006
<i>Elacatinus evelynae</i>	Sharknosed goby	Gobiidae	allozymes	Taylor and Hellberg 2006
<i>Embiotoca jacksoni</i>	Black perch	Embiotocidae	allozymes	Bernardi 2000
<i>Epinephelus labriformis</i>	Flag cabrilla	Serranidae	allozymes	Craig et al. 2006
<i>Epinephelus morio</i>	Red grouper	Serranidae	microsatellites	Zatcoff et al. 2004
<i>Epinephelus marginatus</i>	Dusky grouper	Serranidae	microsatellites	de Innocentis et al. 2001
<i>Epinephelus marginatus</i>	Dusky grouper	Serranidae	allozymes	de Innocentis et al. 2001
<i>Epinephelus marginatus</i>	Dusky grouper	Serranidae	mtDNA	Maggio et al. 2006
<i>Epinephelus marginatus</i>	Dusky grouper	Serranidae	allozymes	Maggio et al. 2006
<i>Epinephelus morio</i>	Red grouper	Serranidae	microsatellite	Gold and Richardson 1998
<i>Eucyclogobius newberryi</i>	Tidewater goby	Gobiidae	mtDNA – RFLPs	Dawson et al. 2002
<i>Forcipiger flavissimus</i>	Longnose butterfly fish	Chaetodontidae	allozymes	Fauvelot and Planes 2002
<i>Forcipiger flavissimus</i>	Longnose butterfly fish	Chaetodontidae	mtDNA	Fauvelot et al. 2003
<i>Forcipiger flavissimus</i>	Longnose butterfly fish	Chaetodontidae	mtDNA	Lessios and Robertson 2006
<i>Forsterygion lapillum</i>	Common triplefin	Tripterygiidae	mtDNA	Hickey et al. 2009
<i>Forsterygion varium</i>	Striped triplefin	Tripterygiidae	mtDNA	Hickey et al. 2009
<i>Gibbonsia elegans</i>	Spotted kelpfish	Clinidae	mtDNA	Stepien and Rosenblatt 1991
<i>Gibbonsia metzi</i>	Striped kelpfish	Clinidae	mtDNA	Stepien and Rosenblatt 1991
<i>Gibbonsia montereyensis</i>	Crevice kelpfish	Clinidae	mtDNA	Stepien and Rosenblatt 1991
<i>Gillichthys mirabilis</i>	Longjaw mudsucker	Gobiidae	mtDNA	Huang and Bernardi 2001
<i>Gillichthys seta</i>	Shortjaw mudsucker	Gobiidae	mtDNA – RFLPs	Huang and Bernardi 2001
<i>Girella nigricans</i>	Opaleye	Kyphosidae	mtDNA	Terry et al. 2000; Riginos 2005
<i>Girella nigricans</i>	Opaleye	Kyphosidae	microsatellites	Terry et al. 2000; Riginos 2005
<i>Gnatholepis cauerensis cauerensis</i>	Eye-bar sand goby	Gobiidae	mtDNA	Thacker et al. 2004
<i>Gnatholepis cauerensis cauerensis</i>	Eye-bar sand goby	Gobiidae	mtDNA	Thacker et al. 2008
<i>Gnatholepis anjerensis</i>	Eye-bar goby	Gobiidae	mtDNA	Thacker et al. 2004
<i>Gnatholepis anjerensis</i>	Eye-bar goby	Gobiidae	mtDNA	Thacker et al. 2008
<i>Gnatholepis thompsoni</i>	Atlantic goldspot goby	Gobiidae	allozymes	Rocha et al. 2005
<i>Gnatholepis thompsoni</i>	Atlantic goldspot goby	Gobiidae	mtDNA	Shulman and Birmingham 1995
<i>Gobius niger</i>	Atlantic goldspot goby	Gobiidae	microsatellites	Giovannotti et al. 2009
<i>Grahamina capito</i>	Spotted robust triplefin	Tripterygiidae	mtDNA	Hickey et al. 2009
<i>Grahamina nigripinne</i>	Estuarine triplefin	Tripterygiidae	mtDNA	Hickey et al. 2009
<i>Haemulon flavolineatum</i>	French grunt	Haemulidae	allozymes	Shulman and Birmingham 1995
<i>Haemulon flavolineatum</i>	French grunt	Haemulidae	allozymes	Purcell et al. 2006

<i>Halichoeres bivattatus</i>	Slippery dick	Labridae	microsatellites	Shulman and Birmingham 1995
<i>Halichoeres cyanocephalus</i>	Yellowcheek wrasse	Labridae	mtDNA	Rocha 2004
<i>Halichoeres garnoti</i>	Yellowhead wrasse	Labridae	mtDNA	Rocha 2004
<i>Halichoeres maculipinna</i>	Clown wrasse	Labridae	mtDNA – RFLPs	Rocha 2004
<i>Halichoeres maculipinna</i>	Clown wrasse	Labridae	mtDNA – RFLPs	Rocha et al. 2005
<i>Halichoeres poeyi</i>	Blackear wrasse	Labridae	mtDNA	Rocha et al. 2005
<i>Halichoeres semicinctus</i>	Rock wrasse	Labridae	mtDNA	Bernardi et al. 2003
<i>Halobatrachus didactylus</i>	Lusitanian toadfish	Batrachoididae	allozymes	Marques et al. 2006
<i>Heteropriacanthus cruentatus</i>	Glasseseye	Priacanthidae	allozymes	Lessios and Robertson 2006
<i>Heterostichus rostratus</i>	Giant kelpfish	Clinidae	mtDNA	Stepien and Rosenblatt 1991
<i>Hippocampus trimaculatus</i>	Three spotted seahorse	Syngnathidae	mtDNA	Lourie and Vincent 2004
<i>Holocentrus ascensionis</i>	Longjaw squirrelfish	Holocentridae	allozymes	Shulman and Birmingham 1995
<i>Holocentrus ascensionis</i>	Longjaw squirrelfish	Holocentridae	mtDNA	Bowen et al. 2006
<i>Hypsoblennius jenkinsi</i>	Mussel blenny	Blennidae	mtDNA	Bernardi et al. 2003
<i>Labroides dimidiatus</i>	Bluestreak cleaner wrasse	Labridae	mtDNA	Drew et al. 2008
<i>Larabicus quadrilineatus</i>	Fourline wrasse	Labridae	mtDNA – RFLPs	Froukh and Kochzius 2007
<i>Latris lineata</i>	Striped trumpeter	Latridae	mtDNA	Tracey et al. 2007
<i>Lethrinus miniatus</i>	Red throat emperor	Lethrinidae	mtDNA	van Herwerden et al. 2003
<i>Lethrinus miniatus</i>	Red throat emperor	Lethrinidae	mtDNA	van Herwerden et al. 2003
<i>Lipophrys pholis</i>	Shanny	Blennidae	mtDNA	Francisco et al. 2006
<i>Lithognathus mormyrus</i>	Striped seabream	Sparidae	allozymes	Arculeo et al. 2003
<i>Lithognathus mormyrus</i>	Striped seabream	Sparidae	microsatellites	Bargelloni et al. 2003
<i>Lithognathus mormyrus</i>	Striped seabream	Sparidae	mtDNA	Bargelloni et al. 2003
<i>Lujanus malabaricus</i>	Malabar blood snapper	Labridae	microsatellites	Elliot 1996
<i>Lujanus malabaricus</i>	Malabar blood snapper	Labridae	mtDNA – RFLPs	Elliot 1996
<i>Lutjanus campechanus</i>	Northern red snapper	Labridae	mtDNA	Gold and Richardson 1998
<i>Lythrypnus dalli</i>	Blue banded goby	Gobiidae	mtDNA	Bernardi et al. 2003
<i>Macrodon acylodon</i>	King weakfish	Sciaenidae	mtDNA	Santos et al. 2006
<i>Malacoctenus hubbsi</i>	Redside blenny	Labrisomidae	mtDNA – RFLPs	Riginos and Victor 2001, Riginos 2005
<i>Mulloidichthys vanicolensis</i>	Yellowfin goatfish	Mullidae	mtDNA	Lessios and Robertson 2006
<i>Myripristis berndti</i>	Blotcheye soldierfish	Holocentridae	mtDNA	Lessios and Robertson 2006
<i>Myripristis jacobus</i>	Blackbar soldierfish	Holocentridae	mtDNA	Bowen et al. 2006
<i>Naso brevirostris</i>	Spotted unicornfish	Acanthuridae	allozymes	Horne et al. 2008
<i>Naso unicornis</i>	Bluespine unicornfish	Acanthuridae	mtDNA	Horne et al. 2008
<i>Naso vlamingii</i>	Bignose unicornfish	Acanthuridae	mtDNA	Horne et al. 2008
<i>Naso vlamingii</i>	Bignose unicornfish	Acanthuridae	mtDNA	Klanten et al. 2007
<i>Nemadactylus macropterus</i>	Tarakihi	Cheilodactylidae	allozymes	Grewe et al. 1994
<i>Nemadactylus macropterus</i>	Tarakihi	Cheilodactylidae	mtDNA	Grewe et al. 1994
<i>Novaculichthys taeniourus</i>	Rockmover wrasse	Labridae	mtDNA	Lessios and Robertson 2006
<i>Oligocottus maculosus</i>	Tidepool sculpin	Cottidae	mtDNA	Altman and Taylor 2003
<i>Ophioblennius atlanticus</i>	Fanged blenny?	Blennidae	mtDNA	Muss et al. 2001
<i>Ophioblennius atlanticus</i>	Fanged blenny?	Blennidae	allozymes	Muss et al. 2001
<i>Ophioblennius atlanticus</i>	Fanged blenny?	Blennidae	mtDNA	Shulman and Birmingham 1995
<i>Ophioblennius steindachneri</i>	Fang toothed/large-banded blenny	Blennidae	allozymes	Muss et al. 2001
<i>Ophioblennius steindachneri</i>	Fang toothed/large-banded blenny	Blennidae	mtDNA	Riginos and Victor 2001

<i>Ostorhinchus</i> (formerly <i>Apogon</i>) <i>doederleini</i>	Cardinal fish	Apogonidae	mtDNA	Gerlach et al. 2007
<i>Ostracion meleagris</i>	Whitespotted boxfish	Ostraciidae	allozyme	Lessios and Robertson 2006
<i>Paralabrax maculatofasciatus</i>	Spotted sand bass	Serranidae	microsatellites	Stepien et al. 2001, Riginos 2005
<i>Paralabrax maculatofasciatus</i>	Spotted sand bass	Serranidae	mtDNA	Stepien et al. 2001, Riginos 2005
<i>Parma microlepis</i>	White-ear scalyfin	Pomacentridae	mtDNA	Curley and Gillings 2009
<i>Pholis gunnellus</i>	Rock gunnel	Pholidae	mtDNA	Hickerson and Cunningham 2005
<i>Platichthys flesus</i> L.	European flounder	Pleuronectidae	allozymes	Hemmer-Hansen et al. 2007
<i>Plectrorhinchus flavomaculatus</i>	Lemon sweetlip	Haemulidae	mtDNA	Han et al. 2008
<i>Pomacentrus amboinensis</i>	Ambon damsel	Pomacentridae	mtDNA	Bay et al. 2006
<i>Pomacentrus coelestis</i>	Neon damselfish	Pomacentridae	microsatellites	Gerlach et al. 2007
<i>Pomacentrus coelestis</i>	Neon damselfish	Pomacentridae	mtDNA	Liu et al. 2008
<i>Pomacentrus moluccensis</i>	Lemon damsel	Pomacentridae	mtDNA	Bay et al. 2006
<i>Pomacentrus moluccensis</i>	Lemon damsel	Pomacentridae	mtDNA	Doherty et al. 1995
<i>Pomacentrus moluccensis</i>	Lemon damsel	Pomacentridae	microsatellite	Drew et al. 2008
<i>Pomatoschistus lozanoi</i>	Lozano's goby	Gobiidae	mtDNA	Gysels et al. 2004
<i>Pomatoschistus microps</i>	Common goby	Gobiidae	mtDNA	Gysels et al. 2004
<i>Pomatoschistus microps</i>	Common goby	Gobiidae	mtDNA	Gysels et al. 2004
<i>Pomatoschistus mimutus</i>	Sand goby	Gobiidae	mtDNA	Stefanni and Thorley 2003
<i>Pomatoschistus minutus</i>	Sand goby	Gobiidae	microsatellites	Gysels et al. 2004
<i>Pomatoschistus minutus</i>	Sand goby	Gobiidae	mtDNA	Pampoulie et al. 2004
<i>Pomatoschistus minutus</i>	Sand goby	Gobiidae	mtDNA	Pampoulie et al. 2004
<i>Pomatoschistus minutus</i>	Sand goby	Gobiidae	mtDNA	Stefanni and Thorley 2003
<i>Pomacentrus pavo</i>	Sapphire damsel	Pomacentridae	mtDNA	Fauvelot and Planes 2002
<i>Pomacentrus pavo</i>	Sapphire damsel	Pomacentridae	microsatellites	Fauvelot et al. 2003
<i>Pristipomoides multidens</i>	Goldbanded jobfish	Lutjanidae	mtDNA	Ovenden et al. 2002
<i>Pristipomoides multidens</i>	Goldbanded jobfish	Lutjanidae	mtDNA	Ovenden et al. 2004
<i>Pseudochromis fuscus</i>	Brown dottyback	Pseudochromidae	mtDNA	Messmer et al. 2005
<i>Pterapogon kauderni</i>	Banggai cardinalfish	Apogonidae	mtDNA	Bernardi and Vagelli 2004
<i>Pterapogon kauderni</i>	Banggai cardinal fish	Apogonidae	mtDNA	Hoffman et al. 2005
<i>Pterocaesio chrysozona</i>	Goldband fusilier	Caesionidae	mtDNA	Doherty et al. 1995
<i>Scarus frenatus</i>	Bridled parrotfish	Scaridae	allozymes	Dudgeon et al. 2000
<i>Scarus rubroviolaceus</i>	Ember parrotfish	Scaridae	microsatellites	Lessios and Robertson 2006
<i>Sebastes auriculatus</i>	Brown rockfish	Sebastidae	mtDNA – RFLPS	Buonaccorsi et al. 2005
<i>Sebastes auriculatus</i>	Brown rockfish	Sebastidae	mtDNA	Seeb 1998
<i>Sebastes caurinus</i>	Copper rockfish	Sebastidae	mtDNA	Johansson et al. 2008
<i>Sebastes caurinus</i>	Copper rockfish	Sebastidae	microsatellites	Johansson et al. 2008
<i>Sebastes caurinus</i>	Copper rockfish	Sebastidae	allozymes	Seeb 1998
<i>Sebastes macdonaldi</i>	Mexican rockfish	Sebastidae	mtDNA	Bernardi et al. 2003
<i>Sebastes maliger</i>	Quillback rockfish	Sebastidae	mtDNA	Seeb 1998
<i>Sebastes melanops</i>	Black rockfish	Sebastidae	mtDNA	Miller et al. 2005
<i>Sebastes rastrelliger</i>	Grass rockfish	Sebastidae	microsatellites	Buonaccorsi et al. 2004
<i>Semicossyphus pulcher</i>	California sheephead	Labridae	mtDNA	Bernardi et al. 2003
<i>Siganus argenteus</i>	Rabbitfish	Siganidae	allozymes	Magsino and Juinio, 2008
<i>Siganus fuscescens</i>	Rabbitfish	Siganidae	allozymes	Magsino and Juinio 2008
<i>Siganus guttatus</i>	Orange-spotted spinefoot	Siganidae	mtDNA	Iwamoto et al. 2004
<i>Sparisoma cretense</i>	Parrotfish	Scaridae	allozymes	Domingues et al. 2008

<i>Sparus aurata</i>	Glithead sea bream	Sparidae	mtDNA – RFLPs	Alarcon et al. 2004
<i>Sparus aurata</i>	Glithead sea bream	Sparidae	mtDNA	Alarcon et al. 2004
<i>Stegastes fasciolatus</i>	Pacific gregory	Pomacentridae	mtDNA	Ramon et al. 2008
<i>Stegastes leucostictus</i>	Beaugregory	Pomacentridae	mtDNA	Shulman and Birmingham 1995
<i>Stegastes nigricans</i>	Dusky farmerfish	Pomacentridae	microsatellites	Bay et al. 2006
<i>Stegastes nigricans</i>	Dusky farmerfish	Pomacentridae	mtDNA	Doherty et al. 1995
<i>Stegastes partitus</i>	Bicolor damselfish	Pomacentridae	mtDNA	Hepburn et al. 2009
<i>Stegastes partitus</i>	Bicolor damselfish	Pomacentridae	allozymes	Purcell et al. 2009
<i>Stethojulis bandanensis</i>	Red shoulder wrasse	Labridae	mtDNA	Lessios and Robertson 2006
<i>Thalassoma bifasciatum</i>	Bluehead wrasse	Labridae	mtDNA	Haney et al. 2007
<i>Thalassoma bifasciatum</i>	Bluehead wrasse	Labridae	mtDNA	Haney et al. 2007
<i>Thalassoma bifasciatum</i>	Bluehead wrasse	Labridae	allozymes	Purcell et al. 2006
<i>Thalassoma bifasciatum</i>	Bluehead wrasse	Labridae	mtDNA	Shulman and Birmingham 1995
<i>Thalassoma pavo</i>	Ornate wrasse	Labridae	allozymes	Costagliola et al. 2004
<i>Thalassoma pavo</i>	Ornate wrasse	Labridae	mtDNA	Domingues et al. 2008
<i>Trematodus bernacchii</i>	Emerald rockcod	Nototheniidae	mtDNA	Janko et al. 2007
<i>Tripterygion delaisi</i>	Black-faced blenny	Tripterygiidae	mtDNA	Carreras-Carbonell et al. 2006
<i>Xiphister atropurpureus</i>	Black prickleback	Stichaeidae	allozymes	Hickerson and Cunningham 2005
<i>Xiphister mucosus</i>	Rock prickleback	Stichaeidae	microsatellites	Hickerson and Cunningham 2005
<i>Zanclus cornutus</i>	Moorish idol	Zanclidae	mtDNA	Lessios and Robertson 2006
<i>Zebrasoma flavescens</i>	Yellow tang	Acanthuridae	mtDNA	Eble et al. 2009

Table A2. Data sources for PLD estimates.

Species	Reference
<i>Abudefduf saxatilis</i>	Brothers et al. 1983, Wellington and Victor 1989, Wellington and Robertson 2001
<i>Acanthurus nigrofasciatus</i>	Wilson and McCormick 1999
<i>Acanthurus triostegus</i>	Thresher and Brothers 1985
<i>Amblyglyphidodon curacao</i>	Thresher et al. 1989, Wellington and Victor 1989
<i>Amphiprion melanopus</i>	Thresher et al. 1989, Wellington and Victor 1989
<i>Amphiprion ocellaris</i>	Timm and Kochzius 2008
<i>Anisotremus davidsonii</i>	Bernardi and Lape 2005
<i>Axoclinus nigricaudus</i>	Riginos and Victor 2001
<i>Bathygobius soporator</i>	Lima et al. 2005
<i>Centropyge loriculus</i>	Thresher and Brothers 1985
<i>Chaetodon citrinellus</i>	Fauvelot and Planes 2002
<i>Chaetodon quadrimaculatus</i>	Fauvelot and Planes 2002
<i>Chlorurus sordidus</i>	Bay et al. 2004
<i>Chromis atripinnis</i>	Thresher et al. 1989
<i>Chromis chromis</i>	Macpherson and Raventos 2006
<i>Chromis multilineata</i>	Wellington and Victor 1989, Wellington and Robertson 2001
<i>Chromis xanthura</i>	Wellington and Victor 1989
<i>Chrysiptera glauca</i>	Wellington and Victor 1989
<i>Chrysiptera rex</i>	Thresher et al. 1989, Wellington and Victor 1989
<i>Chrysiptera talboti</i>	Thresher and Brothers 1989
<i>Cirrhilabrus punctatus</i>	Drew et al. 2008
<i>Cirrhitichthys oxycephalus</i>	Brothers and Thresher 1985
<i>Clevelandia ios</i>	Dawson et al. 2002
<i>Coryphoblennius galerita</i>	Macpherson and Raventos 2006
<i>Craterocephalus capreolus</i>	Johnson et al. 1994
<i>Ctenochaetus striatus</i>	Doherty et al. 1995, Wilson and McCormick 1999
<i>Ctenochaetus strigosus</i>	Eble et al. 2009
<i>Dascyllus albisella</i>	Thresher et al. 1989, Wellington and Victor 1989
<i>Dascyllus aruanus</i>	Thresher and Brothers 1985, Thresher et al. 1989, Wellington and Victor 1989
<i>Dicentrarchus labrax</i>	FishBase
<i>Elacatinus evelynae</i>	Taylor and Hellberg 2003
<i>Embiotoca jacksoni</i>	Bernardi and Vagelli 2004
<i>Epinephelus labriformis</i>	Craig et al. 2006
<i>Epinephelus marginatus</i>	Macpherson and Raventos 2006
<i>Epinephelus morio</i>	Gold and Richardson 1998
<i>Eucyclogobius newberryi</i>	Dawson et al. 2002
<i>Forcipiger flavissimus</i>	Brothers and Thresher 1985
<i>Gibbonsia elegans</i>	Stepien and Rosenblatt 1991
<i>Gibbonsia metzi</i>	Stepien and Rosenblatt 1991
<i>Gibbonsia montereyensis</i>	Stepien and Rosenblatt 1991
<i>Gnatholepis cauerensis cauerensis</i>	Thacker 2004
<i>Gnatholepis anjerensis</i>	Thacker 2004
<i>Gnatholepis thompsoni</i>	Sponaugle and Cowen 1994, Shulman and Birmingham 1998
<i>Gobius niger</i>	Giovannotti et al. 2009
<i>Haemulon flavolineatum</i>	Purcell et al. 2006
<i>Halichoeres bivittatus</i>	Victor 1986, Sponaugle and Cowen 1997, Schultz and Cowen 1994, Wellington and Robertson 2001

<i>Halichoeres cyanocephalus</i>	Rocha 2004
<i>Halichoeres garnoti</i>	Victor 1986, Sponaugle and Cowen 1997, Schultz and Cowen 1994, Wellington and Robertson 2001
<i>Halichoeres maculipinna</i>	Victor 1986, Sponaugle and Cowen 1997, Schultz and Cowen 1994, Wilson and McCormick 1999, Wellington and Robertson 2001
<i>Halichoeres poeyi</i>	Victor 1986, Sponaugle and Cowen 1997, Wellington and Robertson 2001
<i>Halichoeres semicinctus</i>	Victor 1986
<i>Heterostichus rostratus</i>	Stepien and Rosenblatt 1991
<i>Hippocampus trimaculatus</i>	Lourie and Vincent 2004
<i>Holocentrus ascensionis</i>	Tyler et al. 1993, Shulman and Bermingham 1995
<i>Labroides dimidiatus</i>	Brothers et al. 1983, Brothers and Thresher 1985, Victor 1986
<i>Latris lineata</i>	Tracey et al. 2007
<i>Malacoctenus hubbsi</i>	Riginos and Victor 2001
<i>Myripristis jacobus</i>	Tyler et al. 1993
<i>Naso brevirostris</i>	Wilson and McCormick 1999
<i>Naso unicornis</i>	Brothers et al. 1983, Wilson and McCormick 1999, Horne et al. 2008
<i>Naso vlamingii</i>	Horne et al. 2008
<i>Nemadactylus macropterus</i>	Greve et al. 1994
<i>Novaculichthys taeniourus</i>	Victor 1986, Victor and Wellington 2000
<i>Oligocottus maculosus</i>	Altman and Taylor 2003
<i>Ophioblennius atlanticus</i>	Shulman 1998
<i>Ophioblennius steindachneri</i>	Riginos and Victor 2001
<i>Ostorhinchus doederleini</i>	Brothers et al. 1983
<i>Ostracion meleagris</i>	Brothers and Thresher 1985
<i>Parma microlepis</i>	Curley and Gillings 2009
<i>Plectrohinchus flavomaculatus</i>	Han et al. 2008
<i>Pomacentrus amboinensis</i>	Brothers et al. 1983, Thresher and Brothers 1985, Thresher et al. 1989, Wellington and Victor 1989, Wilson and McCormick 1999
<i>Pomacentrus coelestis</i>	Thresher et al. 1989, Wellington and Victor 1989, Wilson and McCormick 1999
<i>Pomacentrus moluccensis</i>	Thresher et al. 1989, Wellington and Victor 1989, Wilson and McCormick 1999
<i>Pomatoschistus microps</i>	Gysels et al. 2004
<i>Pomatoschistus minutus</i>	Stefanni and Thorley 2003, Pampoulie et al. 2004
<i>Pomacentrus pavo</i>	Thresher et al. 1989, Wellington and Victor 1989
<i>Pterapogon kauderni</i>	Bernardi and Vagelli 2004, Hoffman et al. 2005
<i>Pterocheilos chrysozona</i>	Doherty et al. 1995
<i>Sebastes caurinus</i>	Johansson et al. 2008
<i>Sebastes melanops</i>	Miller and Shanks 2004
<i>Semicossyphus pulcher</i>	Victor 1986
<i>Siganus argenteus</i>	Magsino and Juinio-Meñez 2008
<i>Siganus fuscescens</i>	Magsino and Juinio-Meñez 2008
<i>Sparus aurata</i>	FishBase
<i>Stegastes fasciolatus</i>	Thresher et al. 1989, Wellington and Victor 1989
<i>Stegastes leucostictus</i>	Wellington and Victor 1989, Wilson and McCormick 1999, Wellington and Robertson 2001
<i>Stegastes nigricans</i>	Thresher et al. 1989, Wellington and Victor 1989
<i>Stegastes partitus</i>	Wellington and Victor 1989, Wilson and McCormick 1999, Wellington and Robertson 2001
<i>Stethojulis bandanensis</i>	Victor 1986
<i>Thalassoma bifasciatum</i>	Victor 1986, Schultz and Cowen 1994, Sponaugle and Cowen 1997, Wilson and McCormick 1999, Wellington and Robertson 2001
<i>Thalassoma pavo</i>	Macpherson and Raventos 2006
<i>Tripterygion delaisi</i>	Macpherson and Raventos 2006
<i>Zanclus cornutus</i>	Thresher and Brothers 1985
<i>Zebrasoma flavescens</i>	Wilson and McCormick 1999

References

- Alarcon, J. A. et al. 2004. Genetic comparison of wild and cultivated European populations of the gilthead sea bream (*Sparus aurata*). – Aquaculture 230: 65–80.
- Altman, A. D. and Taylor, E. B. 2003. A molecular assessment of homing in the tidepool sculpin. – J. Fish Biol. 62: 623–640.
- Altman, S. and Whitlatch, R. B. 2007. Effects of small-scale disturbance on invasion success in marine communities. – J. Exp. Mar. Biol. Ecol. 342: 15–29.
- Arculeo, M. et al. 2003. The stock genetic structure of two Sparidae species, *Diplodus vulgaris* and *Lithognathus mormyrus*, in the Mediterranean Sea. – Fish. Res. 63: 339–347.
- Bahri-Sfar, L. et al. 2000. Fragmentation of sea bass populations in the western and eastern Mediterranean as revealed by microsatellite polymorphism. – Proc. R. Soc. B 267: 929–935.
- Bargelloni, L. et al. 2003. Discord in the family Sparidae (Teleostei): divergent phylogeographical patterns across the Atlantic-Mediterranean divide. – J. Evol. Biol. 16: 1149–1158.
- Baums, I. B. et al. 2005. Regionally isolated populations of an imperiled Caribbean coral, *Acropora palmata*. – Mol. Ecol. 14: 1377–1390.
- Bay, L. K. et al. 2004. High genetic diversities and complex genetic structure in an Indo-Pacific tropical reef fish (*Chlorurus sordidus*): evidence of an unstable evolutionary past. – Mar. Biol. 144: 757–767.
- Bay, L. K. et al. 2006. The relationship between population genetic structure and pelagic larval duration in coral reef fishes on the Great Barrier Reef. – Mar. Biol. 149: 1247–1256.
- Bernardi, G. 2000. Barriers to gene flow in *Embiotoca jacksoni*, a marine fish lacking a pelagic larval stage. – Evolution 54: 226–237.
- Bernardi, G. and Vagelli, A. 2004. Population structure in Banggai cardinalfish, *Pterapogon kauderni*, a coral reef species lacking a pelagic larval phase. – Mar. Biol. 145: 803–810.
- Bernardi, G. and Lape, J. 2005. Tempo and mode of speciation in the Baja California disjunct fish species *Anisotremus davidsonii*. – Mol. Ecol. 14: 4085–4096.
- Bernardi, G. et al. 2003. Vicariance and dispersal across Baja California in disjunct marine fish populations. – Evolution 57: 1599–1609.
- Bowen, B. W. et al. 2006. Phylogeography of two Atlantic squirrelfishes (Family Holocentridae): exploring links between pelagic larval duration and population connectivity. – Mar. Biol. 149: 899–913.
- Brothers, E. B. and Thresher, R. E. 1985. Pelagic duration, dispersal, and the distribution of Indo-Pacific coral-reef fishes. – In: Reaka, M. L. (ed.), The ecology of coral reefs. NOAA, pp. 53–69.
- Brothers, E. B. et al. 1983. Length of larval life in twelve families of fishes at “One Tree Lagoon”, Great Barrier Reef, Australia. – Mar. Biol. 76: 319–324.
- Buonaccorsi, V. P. et al. 2004. Molecular genetic structure suggests limited larval dispersal in grass rockfish, *Sebastodes rastrelliger*. – Mar. Biol. 145: 779–788.
- Buonaccorsi, V. P. et al. 2005. Limited realized dispersal and introgressive hybridization influence genetic structure and conservation strategies for brown rockfish, *Sebastodes auriculatus*. – Conserv. Genet. 6: 697–713.
- Carreras-Carbonell, J. et al. 2006. Population structure within and between subspecies of the Mediterranean triplefin fish *Tripterygion delaisi* revealed by highly polymorphic microsatellite loci. – Mol. Ecol. 15: 3527–3539.
- Costagliola, D. et al. 2004. Evolution of coral reef fish *Thalassoma* spp. (Labridae). 2. Evolution of the eastern Atlantic species. – Mar. Biol. 144: 377–383.
- Craig, M. T. et al. 2006. Phylogeography of the flag cabrilla *Epinephelus labiiformis* (Serranidae): implications for the biogeography of the Tropical Eastern Pacific and the early stages of speciation in a marine shore fish. – J. Biogeogr. 33: 969–979.
- Curley, B. G. and Gillings, M. R. 2009. Population connectivity in the temperate damselfish *Parma microlepis*: analyses of genetic structure across multiple spatial scales. – Mar. Biol. 156: 381–393.
- Dawson, M. N. et al. 2002. Comparative phylogeography of sympatric sister species, *Clevelandia ios* and *Eucyclogobius newberryi* (Teleostei, Gobiidae), across the California Transition Zone. – Mol. Ecol. 11: 1065–1075.
- de Innocentis, S. et al. 2001. Allozyme and microsatellite loci provide discordant estimates of population differentiation in the endangered dusky grouper (*Epinephelus marginatus*) within the Mediterranean Sea. – Mol. Ecol. 10: 2163–2175.
- Doherty, P. J. et al. 1995. Gene flow and larval duration in seven species of fish from the Great Barrier Reef. – Ecology 76: 2373–2391.
- Domingues, V. S. et al. 2005. Historical colonization and demography of the Mediterranean damselfish, *Chromis chromis*. – Mol. Ecol. 14: 4051–4063.
- Domingues, V. S. et al. 2007. Phlogeography and evolution of the triplefin *Tripterygion delaisi* (Pisces, Blennioidei). – Mar. Biol. 150: 509–519.
- Domingues, V. S. et al. 2008. Tropical fishes in a temperate sea: evolution of the wrasse *Thalassoma pavo* and the parrotfish *Sparisoma cretense* in the Mediterranean and the adjacent Macaronesian and Cape Verde Archipelagos. – Mar. Biol. 154: 465–474.
- Drew, J. et al. 2008. Endemism and regional color and genetic differences in five putatively cosmopolitan reef fishes. – Conserv. Biol. 22: 965–975.
- Dudgeon, C. L. et al. 2000. No apparent genetic basis to demographic differences in scarid fishes across continental shelf of the Great Barrier Reef. – Mar. Biol. 137: 1059–1066.
- Eble, J. A. et al. 2009. Endemism and dispersal: comparative phylogeography of three surgeonfishes across the Hawaiian Archipelago. – Mar. Biol. 156: 689–698.
- Elliott, N. G. 1996. Allozyme and mitochondrial DNA analysis of the tropical saddle-tail sea perch, *Lutjanus malabaricus* (Schneider), from Australian waters. – Mar. Freshwater Res. 47: 869–876.
- Fauvelot, C. and Planes, S. 2002. Understanding origins of present-day genetic structure in marine fish: biologically or historically driven patterns? – Mar. Biol. 141: 773–788.
- Fauvelot, C. et al. 2003. Reductions in the mitochondrial DNA diversity of coral reef fish provide evidence of population bottlenecks resulting from Holocene sea-level change. – Evolution 57: 1571–1583.
- Francisco, S. M. et al. 2006. Genetic structure and historical demography of the shanny *Lipophrys pholis* in the Portuguese coast based on mitochondrial DNA analysis. – Mol. Phylogen. Evol. 39: 288–292.
- Froese, R. and Pauly, D. 2009. FishBase. – <www.fishbase.org>.
- Froukh, T. and Kochzius, M. 2007. Genetic population structure of the endemic fourline wrasse (*Larabicus quadrilineatus*) suggests limited larval dispersal distances in the Red Sea. – Mol. Ecol. 16: 1359–1367.
- Gerlach, G. et al. 2007. Smelling home can prevent dispersal of reef fish larvae. – Proc. Natl Acad. Sci. USA 104: 858–863.
- Giovannotti, M. et al. 2009. Life style and genetic variation in teleosts: the case of pelagic (*Aphia minuta*) and benthic (*Gobius niger*) gobies (Perciformes: Gobiidae). – Mar. Biol. 156: 239–252.
- Gold, J. R. and Richardson, L. R. 1998. Mitochondrial DNA diversification and population structure in fishes from the Gulf of Mexico and western Atlantic. – J. Hered. 89: 404–414.
- Grewe, P. M. et al. 1994. Mitochondrial DNA diversity in jackass morwong (*Nemadactylus macropterus*; Teleostei) from Australian and New Zealand waters. – Can. J. Fish. Aquat. Sci. 51: 1101–1109.
- Gysels, E. S. et al. 2004. Phylogeography of the common goby, *Pomatoschistus microps*, with particular emphasis on the colonization of the Mediterranean and the North Sea. – Mol. Ecol. 13: 403–417.
- Han, Z. Q. et al. 2008. Population genetic structure of coral reef species *Plectorhinchus flavomaculatus* in South China Sea. – Afr. J. Biotechnol. 7: 1774–1781.
- Haney, R. A. et al. 2007. A multi-locus assessment of connectivity and historical demography in the bluehead wrasse (*Thalassoma bifasciatum*). – Heredity 98: 294–302.
- Hemmer-Hansen, J. et al. 2007. Evolutionary mechanisms shaping the genetic population structure of marine fishes: lessons from the European flounder (*Platichthys flesus* L.). – Mol. Ecol. 16: 3104–3118.
- Hepburn, R. I. et al. 2009. Genetic structure of juvenile cohorts of bicolor damselfish (*Stegastes partitus*) along the Mesoamerican barrier reef: chaos through time. – Coral Reefs 28: 277–288.
- Hickerson, M. J. and Cunningham, C. W. 2005. Contrasting quaternary histories in an ecologically divergent sister pair of low-dispersing intertidal fish (*Xiphister*) revealed by multilocus DNA analysis. – Evolution 59: 344–360.

- Hickey, A. J. R. et al. 2009. New Zealand triplefin fishes (family Tripterygiidae): contrasting population structure and mtDNA diversity within a marine species flock. – Mol. Ecol. 18: 680–696.
- Hoffman, E. A. et al. 2005. Genetic structure in the coral-reef-associated Banggai cardinalfish, *Pterapogon kauderni*. – Mol. Ecol. 14: 1367–1375.
- Horne, J. B. et al. 2008. High population connectivity across the Indo-Pacific: congruent lack of phylogeographic structure in three reef fish congeners. – Mol. Phylogenet. Evol. 49: 629–638.
- Huang, D. and Bernardi, G. 2001. Disjunct Sea of Cortez-Pacific Ocean *Gillichthys mirabilis* populations and the evolutionary origin of their Sea of Cortez endemic relative, *Gillichthys seta*. – Mar. Biol. 138: 421–428.
- Iwamoto, E. et al. 2004. Genetic population structure of Pacific hake, *Merluccius productus*, in the Pacific Northwest. – Environ. Biol. Fish. 69: 187–199.
- Janko, K. et al. 2007. Did glacial advances during the Pleistocene influence differently the demographic histories of benthic and pelagic Antarctic shelf fishes? – Inferences from intraspecific mitochondrial and nuclear DNA sequence diversity. – Bmc Evol. Biol. 7.
- Johansson, M. L. et al. 2008. Influence of habitat discontinuity, geographical distance, and oceanography on fine-scale population genetic structure of copper rockfish (*Sebastodes caurinus*). – Mol. Ecol. 17: 3051–3061.
- Johnson, M. S. et al. 1994. High-levels of genetic subdivision in peripherally isolated populations of the atherinid fish *Craterocephalus capreoli* in the Houtman Abrolhos islands, Western Australia. – Mar. Biol. 119: 179–184.
- Klanten, O. S. et al. 2007. Extreme genetic diversity and temporal rather than spatial partitioning in a widely distributed coral reef fish. – Mar. Biol. 150: 659–670.
- Lessios, H. A. and Robertson, D. R. 2006. Crossing the impassable: genetic connections in 20 reef fishes across the eastern Pacific barrier. – Proc. R. Soc. B 273: 2201–2208.
- Lester, S. E. and Ruttenberg, B. I. 2005. The relationship between pelagic larval duration and range size in tropical reef fishes: a synthetic analysis. – Proc. R. Soc. B 272: 585–591.
- Lima, D. et al. 2005. Genetic detection of cryptic species in the frillfin goby *Bathygobius soporator*. – J. Exp. Mar. Biol. Ecol. 320: 211–223.
- Liu, S. Y. V. et al. 2008. Population genetic structure of the neon damselfish (*Pomacentrus coelestis*) in the northwestern Pacific Ocean. – Mar. Biol. 154: 745–753.
- Lourie, S. A. and Vincent, A. C. J. 2004. A marine fish follows Wallace's Line: the phylogeography of the three-spot seahorse (*Hippocampus trimaculatus*, Syngnathidae, Teleostei) in Southeast Asia. – J. Biogeogr. 31: 1975–1985.
- Macpherson, E. and Raventos, N. 2006. Relationship between pelagic larval duration and geographic distribution of Mediterranean littoral fishes. – Mar. Ecol. Prog. Ser. 327: 257–265.
- Maggio, T. et al. 2006. Genetic population structure of *Epinephelus marginatus* (Pisces, Serranidae) revealed by two molecular markers. – Ital. J. Zool. 73: 275–283.
- Magsino, R. M. and Juinio-Mefiez, M. A. 2008. The influence of contrasting life history traits and oceanic processes on genetic structuring of rabbitfish populations *Siganus argenteus* and *Siganus fuscus* along the eastern Philippine coasts. – Mar. Biol. 154: 519–532.
- Marques, J. F. et al. 2006. Genetic and morphological differentiation of the Lusitanian toadfish (*Halobatrachus didactylus*) between estuarine and coastal areas in Portugal. – Sci. Mar. 70: 749–758.
- Messmer, V. et al. 2005. Phylogeography of colour polymorphism in the coral reef fish *Pseudochromis fuscus*, from Papua New Guinea and the Great Barrier Reef. – Coral Reefs 24: 392–402.
- Miller, J. A. and Shanks, A. L. 2004. Evidence for limited larval dispersal in black rockfish (*Sebastodes melanops*): implications for population structure and marine-reserve design. – Can. J. Fish. Aquat. Sci. 61: 1723–1735.
- Miller, J. A. et al. 2005. A comparison of population structure in black rockfish (*Sebastodes melanops*) as determined with otolith microchemistry and microsatellite DNA. – Can. J. Fish. Aquat. Sci. 62: 2189–2198.
- Muss, A. et al. 2001. Phylogeography of *Ophioblennius*: the role of ocean currents and geography in reef fish evolution. – Evolution 55: 561–572.
- Nelson, J. S. et al. 2000. Phylogeographic structure of false clownfish, *Amphiprion ocellaris*, explained by sea level changes on the Sunda shelf. – Mar. Biol. 137: 727–736.
- Ovenden, J. R. et al. 2002. Spatial genetic subdivision between northern Australian and southeast Asian populations of *Pristipomoides multidens*: a tropical marine reef fish species. – Fish. Res. 59: 57–69.
- Ovenden, J. R. et al. 2004. Pronounced genetic population structure in a potentially vagile fish species (*Pristipomoides multidens*, Teleostei: Perciformes: Lutjanidae) from the East Indies triangle. – Mol. Ecol. 13: 1991–1999.
- Pampoulie, C. et al. 2004. Evidence for fine-scale genetic structure and estuarine colonisation in a potential high gene flow marine goby (*Pomatoschistus minutus*). – Heredity 92: 434–445.
- Patarnello, T. et al. 2003. Phylogeography of the *Chionodraco* genus (Perciformes, Channichthyidae) in the Southern Ocean. – Mol. Phylogenet. Evol. 28: 420–429.
- Planes, S. and Fauvelot, C. 2002. Isolation by distance and vicariance drive genetic structure of a coral reef fish in the Pacific Ocean. – Evolution 56: 378–399.
- Purcell, J. F. H. et al. 2006. Weak genetic structure indicates strong dispersal limits: a tale of two coral reef fish. – Proc. R. Soc. B 273: 1483–1490.
- Purcell, J. F. H. et al. 2009. Population structure in a common Caribbean coral-reef fish: implications for larval dispersal and early life-history traits. – J. Fish Biol. 74: 403–417.
- Ramon, M. L. et al. 2008. Phylogeography, historical demography, and the role of post-settlement ecology in two Hawaiian damselfish species. – Mar. Biol. 153: 1207–1217.
- Riginos, C. 2005. Cryptic vicariance in Gulf of California fishes parallels vicariant patterns found in Baja California mammals and reptiles. – Evolution 59: 2678–2690.
- Riginos, C. and Victor, B. C. 2001. Larval spatial distributions and other early life-history characteristics predict genetic differentiation in eastern Pacific blennioid fishes. – Proc. R. Soc. B 268: 1931–1936.
- Rocha, L. A. 2004. Mitochondrial DNA and color pattern variation in three western Atlantic *Halichoeres* (Labridae), with the revalidation of two species. – Copeia: 770–782.
- Rocha, L. A. et al. 2005. Recent invasion of the tropical Atlantic by an Indo-Pacific coral reef fish. – Mol. Ecol. 14: 3921–3928.
- Rocha, L. A. et al. 2007. Phylogeography and the conservation of coral reef fishes. – Coral Reefs 26: 501–512.
- Rocha, L. A. et al. 2008. Comparative phylogeography of Atlantic reef fishes indicates both origin and accumulation of diversity in the Caribbean. – Bmc Evol. Biol. 8.
- Santos, S. et al. 2006. Population genetic structuring of the king weakfish, *Macrodon ancylodon* (Sciaenidae), in Atlantic coastal waters of South America: deep genetic divergence without morphological change. – Mol. Ecol. 15: 4361–4373.
- Schultz, E. T. and Cowen. 1994. Recruitment of coral-reef fishes to Bermuda: local retention or long-distance transport? – Mar. Ecol. Prog. Ser. 109: 15–28.
- Schultz, J. K. et al. 2007. Genetic connectivity among color morphs and Pacific archipelagos for the flame angelfish, *Centropyge loriculus*. – Mar. Biol. 151: 167–175.
- Seeb, L. W. 1998. Gene flow and introgression within and among three species of rockfishes, *Sebastodes auriculatus*, *S. caurinus*, and *S. maliger*. – J. Hered. 89: 393–403.
- Shulman, M. J. 1998. What can population genetics tell us about dispersal and biogeographic history of coral-reef fishes? – Aust. J. Ecol. 23: 216–225.
- Shulman, M. J. and Birmingham, E. 1995. Early life histories, ocean currents, and the population genetics of Caribbean reef fishes. – Evolution 49: 897–910.
- Sponaugle, S. and Cowen, R. K. 1994. Larval durations and recruitment patterns of two Caribbean gobies (Gobiidae): contrasting early life histories in demersal spawners. – Mar. Biol. 120: 133–143.
- Sponaugle, S. and Cowen, R. K. 1997. Early life history traits and recruitment patterns of Caribbean wrasses (Labridae). – Ecol. Monogr. 67: 177–202.

- Stefanni, S. and Thorley, J. L. 2003. Mitochondrial DNA phylogeography reveals the existence of an Evolutionarily Significant Unit of the sand goby *Pomatoschistus minutus* in the Adriatic (Eastern Mediterranean). – Mol. Phylogenet. Evol. 28: 601–609.
- Stepien, C. A. and Rosenblatt, R. H. 1991. Patterns of gene flow and genetic divergence in the northeastern Pacific Clinidae (Teleostei: Blennioidei), based on allozyme and morphological data. – Copeia 4: 873–896.
- Stepien, C. A. et al. 2001. Phylogeography of the spotted sand bass, *Paralabrax maculatusfasciatus*: divergence of Gulf of California and Pacific Coast populations. – Evolution 55: 1852–1862.
- Taylor, M. S. and Hellberg, M. E. 2003. Genetic evidence for local retention of pelagic larvae in a Caribbean reef fish. – Science 299: 107–109.
- Taylor, M. S. and Hellberg, M. E. 2006. Comparative phylogeography in a genus of coral reef fishes: biogeographic and genetic concordance in the Caribbean. – Mol. Ecol. 15: 695–707.
- Terry, A. et al. 2000. Restricted gene flow and incipient speciation in disjunct Pacific Ocean and Sea of Cortez populations of a reef fish species, *Girella nigricans*. – Evolution 54: 652–659.
- Thacker, C. E. 2004. Population structure in two species of the reef goby *Gnatholepis* (Teleostei: Perciformes) among four South Pacific island groups. – Coral Reefs 23: 357–366.
- Thacker, C. E. et al. 2008. New expansions in old clades: population genetics and phylogeny of *Gnatholepis* species (Teleostei: Gobioidei) in the Pacific. – Mar. Biol. 153: 375–385.
- Thompson, A. R. et al. 2005. Phylogeography of marine mutualists: parallel patterns of genetic structure between obligate goby and shrimp partners. – Mol. Ecol. 14: 3557–3572.
- Thresher, R. E. 1984. Reproduction in reef fishes. – T. F. H. Publ.
- Thresher, R. E. and Brothers, E. B. 1985. Reproductive ecology and biogeography of Indo-West Pacific angelfishes (Pisces: Pomacanthidae). – Evolution 39: 878–887.
- Thresher, R. E. et al. 1989. Planktonic duration, distribution and population structure of western and central Pacific damselfishes (Pomacentridae). – Copeia 1989: 420–434.
- Timm, J. and Kochzius, M. 2008. Geological history and oceanography of the Indo-Malay Archipelago shape the genetic population structure in the false clown anemonefish (*Amphiprion ocellaris*). – Mol. Ecol. 17: 3999–4014.
- Tracey, S. R. et al. 2007. Genetic structuring of *Latris lineata* at localized and transoceanic scales. – Mar. Biol. 152: 119–128.
- Tyler, J. C. et al. 1993. Comparative early life histories of western Atlantic squirrelfishes (Holocentridae): age and settlement of rhynchichthys, meeki, and juvenile stages. – Bull. Mar. Sci. 53: 1126–1150.
- van Herwerden, L. et al. 2003. Microsatellite variation and population genetic structure of the red throat emperor on the Great Barrier Reef. – J. Fish Biol. 62: 987–999.
- Victor, B. C. 1986. Duration of the planktonic larval stage of one hundred species of Pacific and Atlantic wrasses (family Labridae). – Mar. Biol. 90: 317–326.
- Victor, B. C. and Wellington, G. 2000. Endemism and the pelagic larval duration of reef fishes in the eastern Pacific Ocean. – Mar. Ecol. Prog. Ser. 205: 241–248.
- Wellington, G. M. and Victor, B. C. 1989. Planktonic larval duration of one hundred species of Pacific and Atlantic damselfishes (Pomacentridae). – Mar. Biol. 101: 557–567.
- Wellington, G. M. and Robertson, D. R. 2001. Variation in larval life-history traits among reef fishes across the Isthmus of Panama. – Mar. Biol. 138: 11–22.
- Wilson, D. T. and McCormick, M. I. 1999. Microstructure of settlement marks in the otoliths of tropical reef fishes. – Mar. Biol. 134: 29–41.
- Xia, J. H. et al. 2008. Significant population genetic structure of yellowfin seabream *Acanthopagrus latus* in China. – J. Fish Biol. 73: 1979–1992.
- Zatcoff, M. S. et al. 2004. Population genetic analysis of red grouper, *Epinephelus morio*, and scamp, *Mycteroperca phenax*, from the southeastern US Atlantic and Gulf of Mexico. – Mar. Biol. 144: 769–777.