

Ecography

ECOG-02055

Becker, C. G., Rodriguez, D., Lambertini, C., Toledo, L. F. and Haddad, C. F. B. 2015. Historical dynamics of *Batrachochytrium dendrobatidis* in Amazonia. – Ecography doi: 10.1111/ecog.02055

Supplementary material

Appendix 1

Table A1. Raw database will be made available in Dryad.

Table A2. Spatiotemporal clusters of *Bd*-positive samples obtained without temporal aggregation and with 25-year temporal aggregations. Abbreviations as follows: temporal aggregation (AG), cluster radius in km (Radius), number of locations (NL), log-likelihood ratio (LLR), observed number of positive samples (O), expected positive cases (E), relative risk (RR).

Cluster	AG	Latitude	Longitude	Radius	Start date	End date	NL	LLR	<i>P</i> value	O	E	O/E	RR
A	none	-0.054	-51.107	-	-	-	1	23.3	>0.001	7	0.27	26.25	30.09
B	none	-8.872	-57.829	587.82	-	-	29	12.9	>0.001	17	4.42	3.85	5.19
C	none	-9.303	-68.268	88.01	-	-	9	3.5	0.940	5	1.26	3.98	4.29
D	none	-7.628	-72.676	-	-	-	1	2.6	1	2	0.27	7.50	7.75
E	none	6.005	-63.274	356.8	-	-	10	0.0	1	2	1.64	1.22	1.23
A25	25	-0.054	-51.107	-	1990	2014	1	23.3	>0.001	7	0.27	26.25	30.09
B25	25	-13.066	-55.919	874.53	1965	2014	80	13.0	0.001	23	7.93	2.90	4.36
C25	25	-8.141	-70.339	342.7	1990	2014	30	5.2	0.680	11	3.85	2.86	3.35
D25	25	2.783	-63.665	635.97	1895	1939	45	0.3	1	2	1.10	1.81	1.84

Figure A1. Principal Component Analyses consolidating 19 bioclimatic variables of temperature and precipitation across our sampling locations. The first two principal components (PCs) are given.

