

Ecography

**ECOG-03592**

de Assis Bomfim, J., Guimarães Jr, P. R., Peres, C. A., Carvalho, G. and Cazetta, E. 2018. Local extinctions of obligate frugivores and patch size reduction disrupt the structure of seed dispersal networks. – Ecography doi: 10.1111/ecog.03592

**Supplementary material**

## Appendix 1: Supplementary Tables

Table A1. Data sources and patch sizes for the 20 seed dispersal networks derived from fragmented tropical forest landscapes as assessed in this study.

Reference	Locality	Patch size (ha)	Geographic coordinates
Palmeirim et al. 1989	Heredia Province, northeastern Costa Rica	2.5	83° 59'W, 10° 26'N
Athiê and Dias 2012	São Paulo, southeastern Brazil	32	47° 36'W, 22° 29'S
Manhães et al. 2010	Minas Gerais, southeastern Brazil	56	43° 21'W, 21° 37'S
Manhães et al. 2010	Minas Gerais, southeastern Brazil	90	43° 53'W, 21° 42'S
Ortiz-Pulido et al. 2000	Veracuz, south Mexico	100	96° 22'W, 19° 36'N
Fonseca and Antunes 2007	São Paulo, southeastern Brazil	174	46° 37' 59"W, 23° 27' 43"S
Fadini and De Marco 2004	São Paulo, southeastern Brazil	200	42° 52' 53"W, 20° 45' 14"S
Schleuning et al. 2011	Kakamega, western Kenya	250	47° 06'W, 22° 49'S
Galetti and Pizo 1996	São Paulo, southeastern Brazil	250	34° 47"E, 0° 14"N

Andrade et al. 2011	Bahia, northeastern Brazil	425	$38^{\circ} 24'W$ , $12^{\circ} 56'S$
Faustino and Machado 2006	Bahia, northeastern Brazil	450	$41^{\circ} 20' 27''W$ , $12^{\circ} 59' 18''S$
Kessler-Rios and Kattan 2012	Western slope of the Colombian Andes	459	$75^{\circ} 34'W$ , $4^{\circ} 43'N$
Silva and Pedroni 2014	Minas Gerais, southeastern Brazil	600	$48^{\circ} 12'W$ , $18^{\circ} 57'S$
Heindl and Curio 1999	Island of Negros, Philippines	2400	$123^{\circ} 11'E$ , $10^{\circ} 41'S$
Wheelwright et al. 1984	Monteverde, northwestern Costa Rica	2700	$84^{\circ} 48'W$ , $10^{\circ} 18'N$
Lefevre 2008	Tobago Main Ridge Forest Reserve, Tobago	3500	$60^{\circ} 37'W$ , $11^{\circ} 17'N$
Purificação et al. 2014	Mato Grosso, midwest Brazil	11000	$51^{\circ} 16'W$ , $15^{\circ} 52'S$
Donatti et al. 2011	Mato Grosso do Sul, midwest Brazil	18500	$56^{\circ} 14' 43''W$ , $19^{\circ} 34' 15''S$
Silva et al. 2002	São Paulo, southeastern Brazil	50000	$48^{\circ} 03'W$ , $24^{\circ} 12'S$
Sankamethawee et al. 2011	Khao Yai National Park, northeastern Thailand	200000	$101^{\circ} 22'E$ , $14^{\circ} 26'N$

Table A2. Spatial autocorrelation test calculated from the Moran index.

	Observed	p-value
Plant species richness	-0.11	0.5
Bird species richness	-0.02	0.72
Plant and bird species richness combined	-0.07	0.82
Richness of obligate frugivores	0.01	0.47

Table A3. Summary of linear regression between the duration of each study (in months) and patch size and networks metrics. Number of interaction, plant and bird richness, richness of plants and birds combined and patch size were log10 transformed.

	$\beta$	SE	t	$r^2$	p
Connectance	-0.003	0.002	-1.72	0.14	0.1
Nestedness	-0.23	0.25	-0.9	0.04	0.38
Number of interactions	0.009	0.009	1.07	0.06	0.27
Plant richness	0.009	0.007	1.34	0.09	0.2
Bird richness	0.007	0.006	1.07	0.06	0.3
Richness of plants and birds combined	0.008	0.006	1.28	0.08	0.22
Average path length	0.01	0.007	1.4	0.1	0.18
Patch size	0.03	0.02	1.15	0.07	0.27

## References - Supplementary Material

- Andrade, P. C. et al. 2011. Mutual interactions between frugivorous birds and plants in an urban fragment of Atlantic Forest, Salvador, BA. - Rev. Bras. Ornitol. 19: 63–73.
- Athiê, S. and Dias, M. M. 2012. Frugivoria por aves em um mosaico de Floresta Estacional Semidecidual e reflorestamento misto em Rio Claro, São Paulo, Brasil. - Acta Bot. Brasilica 26: 84–93.
- Donatti, C. I. et al. 2011. Analysis of a hyper-diverse seed dispersal network: Modularity and underlying mechanisms. - Ecol. Lett. 14: 773–781.
- Fadini, R. F. and De Marco, P. J. 2004. Interações entre aves frugívoras e plantas em um fragmento de Mata Atlântica de Minas Gerais. - Ararajuba 12: 97–103.
- Faustino, T. C. and Machado, C. G. 2006. Frugivoria por aves em uma área de campo rupestre na Chapada Diamantina, BA. - Rev. Bras. Ornitol. 14: 137–143.
- Fonseca, F. Y. and Antunes, A. Z. 2007. Frugivoria e predação de sementes por aves no Parque Estadual Alberto Löfgren, São Paulo, SP. - Rev. do Inst. Florest. 19: 81–91.
- Galetti, M. and Pizo, M. A. 1996. Fruit eating by birds in a forest fragment in southeastern Brazil. - Ararajuba 4: 71–79.
- Heindl, M. and Curio, E. 1999. Observations of frugivorous birds at fruit-bearing plants in the north Negros forest reserve, Philippines. - Ecotropica 5: 167–181.
- Kessler-Rios, M. M. and Kattan, G. H. 2012. Fruits of Melastomataceae: phenology in Andean forest and role as a food resource for birds. - J. Trop. Ecol. 28: 11–21.
- Lefevre, K. 2008. The influence of human disturbance on avian frugivory and seed dispersal in a neotropical rainforest.
- Manhães, M. A. et al. 2010. Diet of understorey birds in two Atlantic Forest areas of southeast Brazil. - J. Nat. Hist. 44: 469–489.
- Ortiz-Pulido, R. et al. 2000. Frugivoria por Aves en un Paisaje Fragmentado: Consecuencias en la Dispersion de Semillas. - Biotropica 32: 473–488.
- Palmeirim, J. M. et al. 1989. Trophic structure of a neotropical frugivore community: is there competition between bird and bats? - Oecologia 79: 403–411.
- Purificação, K. N. et al. 2014. Interactions between frugivorous birds and plants in savanna and forest formations of the Cerrado. - Biota Neotrop. 14: 1–14.
- Sankamethawee, W. et al. 2011. Plant-frugivore interactions in an intact tropical forest in north-east Thailand. - Integr. Zool. 6: 195–212.
- Schleuning, M. et al. 2011. Specialization and interaction strength in a tropical plant-frugivore network differ among forest strata. - Ecology 92: 26–36.
- Silva, G. B. M. da and Pedroni, F. 2014. Frugivoria por aves em área de cerrado no município de Uberlândia, Minas Gerais. - Rev. Árvore 38: 433–442.

Silva, W. R. et al. 2002. Patterns of fruit – frugivore interaction in two Atlantic Forest bird communities of South-eastern Brazil : implications for conservation. - In: Levey, D. J. et al. (eds), Seed Dispersal and frugivory: Ecology, evolution and conservation. CAB International, pp. 423–435.

Wheelwright, N. T. et al. 1984. Tropical fruit-eating birds and their food plants: A survey of a Costa Rican lower Montane Forest. - *Biotropica* 16: 173.